



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 987-2095
http://excelbislabs.com
Lic#

QA Testing

1 of 4

Cartel Glue

Sample ID: 2510EXL6107.26288

Strain: Cartel Glue

Matrix: Concentrates & Extracts

Type: Rosin

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 10/29/2025

Batch#: 0824CG

Client

Habit

Lic. #

N/A

Costa Mesa, CA 92626

Summary

Test

Batch

Cannabinoids

Heavy Metals

Microbials

Mycotoxins

GCMS Pesticides

LCMS Pesticides

Residual Solvents

Date Tested

Result

Pass

Complete

Pass

Pass

Pass

Pass

Pass

Pass

Cannabinoids

Complete

63.440%

Total THC

0.379%

Total CBD

69.652%

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result
	mg/g	mg/g	%	mg/g
CBC	0.171	0.455	ND	ND
CBD	0.455	0.909	0.3789	3.789
CBDa	0.341	0.909	ND	ND
CBG	0.455	0.909	4.3602	43.602
CBN	0.171	0.455	1.4733	14.733
Δ8-THC	0.341	0.909	ND	ND
Δ9-THC	0.341	0.909	0.2850	2.850
THCa	0.227	0.455	72.0120	720.120
THCV	0.455	0.909	ND	ND
Total THC			63.440	634.395
Total CBD			0.379	3.789
Total CBG			4.360	43.602
Total			69.652	696.520

Date Tested:

Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD; Total CBG = CBGa * 0.877 + CBG.

Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.

Cannabinoids: HPLC, SOP-004

Water Activity: Water Activity Meter, SOP-012

Moisture Content: Moisture Analyzer, SOP-011

Foreign Matter: Visual Inspection, SOP-001



Accreditation #128081

ISO/IEC 17025:2017

Scott A. Pol

Scott Robertson
Lab Director
10/29/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 987-2095
http://excelbislabs.com
Lic#

QA Testing

2 of 4

Cartel Glue

Sample ID: 2510EXL6107.26288

Strain: Cartel Glue

Matrix: Concentrates & Extracts

Type: Rosin

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 10/29/2025

Batch#: 0824CG

Client

Habit

Lic. #

N/A

Costa Mesa, CA 92626

GC Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
Captan	0.021	0.097	0.7	ND	Pass
Chlordane (trans + cis)	0.033	0.097	0.058	ND	Pass
Chlorfenapyr	0.058	0.098	0.058	ND	Pass
Cyfluthrin	0.035	0.097	2	ND	Pass
Cypermethrin	0.052	0.097	1	ND	Pass
Parathion Methyl	0.029	0.097	0.029	ND	Pass
Pentachloronitrobenzene (Quintozene)	0.021	0.097	0.1	ND	Pass

Mycotoxins

Pass

Analytes	LOD	LOQ	Limit	Conc.	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	4.0000	5.0000		ND	Tested
Aflatoxin B2	4.0000	5.0000		ND	Tested
Aflatoxin G1	4.0000	5.0000		ND	Tested
Aflatoxin G2	4.0000	5.0000		ND	Tested
Ochratoxin A	10.0000	16.0000	20	ND	Pass
Total Aflatoxins			20	ND	Pass

Microbials

Pass

Analyte	Limit	Detected / Not Detected	Status
	RFU/g	RFU/g	
Aspergillus flavus	0	Not Detected	Pass
Aspergillus fumigatus	0	Not Detected	Pass
Aspergillus niger	0	Not Detected	Pass
Aspergillus terreus	0	Not Detected	Pass
Shiga toxin-producing E. Coli	0	Not Detected	Pass
Salmonella SPP	0	Not Detected	Pass
Yeast & Mold	0	Not Detected	Pass

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Conc.	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.0150	0.05	0.2	ND	Pass
Cadmium	0.0113	0.05	0.2	ND	Pass
Lead	0.00615	0.05	0.5	ND	Pass
Mercury	0.00126	0.005	0.1	ND	Pass

GCMS Date Tested:

Pesticides: GC-MS/MS, GCMS Method SOP-006

LCMS Date Tested:

Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001

Microbial Date Tested:

Microbials Footnote: Microbial: SOP-010

RFU = Relative Fluorescence Units

Heavy Metals Date Tested:

Heavy Metals: Heavy Metals: ICP-MS, SOP-007



Accreditation #128081

ISO/IEC 17025:2017

Scott A. Robertson

Scott Robertson
Lab Director
10/29/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 987-2095
http://excelbislabs.com
Lic#

QA Testing

3 of 4

Cartel Glue

Sample ID: 2510EXL6107.26288

Strain: Cartel Glue

Matrix: Concentrates & Extracts

Type: Rosin

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 10/29/2025

Batch#: 0824CG

Client

Habit

Lic. #

N/A

Costa Mesa, CA 92626

LC Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.033	0.097	0.1	ND	Pass	Imazalil	0.037	0.097	0.037	ND	Pass
Acephate	0.043	0.097	0.1	ND	Pass	Imidacloprid	0.043	0.097	5	ND	Pass
Acequinocyl	0.019	0.097	0.1	ND	Pass	Kresoxim Methyl	0.021	0.097	0.1	ND	Pass
Acetamiprid	0.031	0.097	0.1	ND	Pass	Malathion	0.045	0.097	0.5	ND	Pass
Aldicarb	0.029	0.097	0.029	ND	Pass	Metalaxyl	0.027	0.097	2	ND	Pass
Azoxystrobin	0.023	0.097	0.1	ND	Pass	Methiocarb	0.029	0.097	0.029	ND	Pass
Bifenazate	0.025	0.097	0.1	ND	Pass	Methomyl	0.029	0.097	1	ND	Pass
Bifenthrin	0.031	0.097	3	ND	Pass	Mevinphos	0.039	0.097	0.033	ND	Pass
Boscalid	0.033	0.097	0.1	ND	Pass	Myclobutanil	0.029	0.097	0.1	ND	Pass
Carbaryl	0.054	0.097	0.5	ND	Pass	Naled	0.047	0.097	0.1	ND	Pass
Carbofuran	0.029	0.097	0.029	ND	Pass	Oxamyl	0.033	0.097	0.5	ND	Pass
Chlorantraniliprole	0.025	0.097	10	ND	Pass	Paclobutrazol	0.023	0.049	0.023	ND	Pass
Chlorpyrifos	0.056	0.097	0.056	ND	Pass	Permethrin (trans + cis)	0.062	0.097	0.5	ND	Pass
Clofentezine	0.025	0.097	0.1	ND	Pass	Phosmet	0.01	0.078	0.1	ND	Pass
Coumaphos	0.01	0.039	0.01	ND	Pass	Piperonyl Butoxide	0.051	0.097	3	ND	Pass
Daminozide	0.039	0.097	0.039	ND	Pass	Prallethrin	0.037	0.097	0.1	ND	Pass
Diazinon	0.054	0.097	0.1	ND	Pass	Propiconazole	0.047	0.097	0.1	ND	Pass
Dichlorvos	0.019	0.097	0.019	ND	Pass	Propoxur	0.027	0.097	0.027	ND	Pass
Dimethoate	0.06	0.097	0.06	ND	Pass	Pyrethrins (Cinerin + Jasmolin + Pyrethrin)	0.019	0.097	0.5	ND	Pass
Dimethomorph (I + II)	0.031	0.097	2	ND	Pass	Pyridaben	0.023	0.097	0.1	ND	Pass
Ethoprophos	0.027	0.097	0.027	ND	Pass	Spinetoram (J + L)	0.021	0.097	0.1	ND	Pass
Etofenprox	0.023	0.097	0.023	ND	Pass	Spinosyn (A + D)	0.019	0.049	0.1	ND	Pass
Etoxazole	0.017	0.097	0.1	ND	Pass	Spiromesifen	0.033	0.1	0.1	ND	Pass
Fenhexamid	0.027	0.097	0.1	ND	Pass	Spirotetramat	0.047	0.097	0.1	ND	Pass
Fenoxycarb	0.041	0.097	0.041	ND	Pass	Spiroxamine	0.027	0.097	0.027	ND	Pass
Fenpyroximate	0.031	0.097	0.1	ND	Pass	Tebuconazole	0.019	0.097	0.1	ND	Pass
Fipronil	0.041	0.097	0.041	ND	Pass	Thiacloprid	0.025	0.097	0.025	ND	Pass
Flonicamid	0.023	0.097	0.1	ND	Pass	Thiamethoxam	0.027	0.097	5	ND	Pass
Fludioxonil	0.039	0.097	0.1	ND	Pass	Trifloxystrobin	0.027	0.097	0.1	ND	Pass
Hexythiazox	0.029	0.097	0.1	ND	Pass						

LCMS Date Tested:

Pesticides: LC-MS/MS. LCMS Method SOP-005



Accreditation #128081
ISO/IEC 17025:2017

Scott A. Robertson

Scott Robertson
Lab Director
10/29/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 987-2095
<http://excelbislabs.com>
Lic#

QA Testing

4 of 4

Cartel Glue

Sample ID: 2510EXL6107.26288

Strain: Cartel Glue

Matrix: Concentrates & Extracts

Type: Rosin

Sample Size: ; Batch:

Produced:

Collected:

Received:

Completed: 10/29/2025

Batch#: 0824CG

Client

Habit

Lic. #

N/A

Costa Mesa, CA 92626

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Conc.	Status
	µg/g	µg/g	µg/g	µg/g	
Acetone	15.4688	46.875	5000	ND	Pass
Acetonitrile	15.4688	46.875	410	ND	Pass
Benzene	0.1547	0.4688	1	ND	Pass
Butane	15.4688	46.875	5000	ND	Pass
Chloroform	0.1547	0.4688	1	ND	Pass
1, 2-Dichloroethane	0.1547	0.4688	1	ND	Pass
Ethanol	15.4688	46.875	5000	ND	Pass
Ethyl Acetate	15.4688	46.875	5000	ND	Pass
Ethyl Ether	15.4688	46.875	5000	ND	Pass
Ethylene Oxide	0.1547	0.4688	1	ND	Pass
Heptane	15.4688	46.875	5000	ND	Pass
Hexane	15.4688	46.875	290	ND	Pass
Isopropyl Alcohol	15.4688	46.875	5000	ND	Pass
Methanol	15.4688	46.875	3000	ND	Pass
Methylene Chloride	0.1547	0.4688	1	ND	Pass
Pentane	15.4688	46.875	5000	ND	Pass
Propane	15.4688	46.875	5000	ND	Pass
Toluene	15.4688	46.875	890	ND	Pass
Total Xylenes (o, m, p)	46.4063	140.625	2170	ND	Pass
Trichloroethylene	0.1547	0.4688	1	ND	Pass

EXCELBIS
LABS

Date Tested:

Residual Solvents: HS-GC-MS RS Method SOP-009



Accreditation #128081

ISO/IEC 17025:2017

Scott A. Robertson

Scott Robertson
Lab Director
10/29/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.